

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
	:	Examiner: P. Connolly
CHIDANE OUCHI)	
	:	Group Art Unit: 2877
Appln. No.: 09/934,713)	
	:	Confirmation No.: 9146
Filed: August 23, 2001)	
	:	
For: MEASURING DEVICE AND)	
MEASURING METHOD	:	
	:	
U.S. Patent No. 7,106,452 B2)	
	:	
Issued: September 12, 2006)	October 27, 2006

Commissioner for Patents
Mail Stop: PETITIONS
P.O. Box 1450
Alexandria, VA 22313-1450

COMMENTS ON DETERMINATION OF PATENT TERM ADJUSTMENT

Sir:

Patentee respectfully requests review of the Patent Term Adjustment (PTA) determined for the above-identified patent. The data presently available from the PAIR system appears to indicate an incorrect number of days determined for the USPTO Delay and/or for the Applicant's Delay.

Should it be deemed that Patentee is entitled to the PTA that is greater than that noted on the cover page of the patent, if permitted under 37 C.F.R. § 1.705(d), the

Commissioner is authorized to charge the fee required for increasing the PTA to Deposit Account 06-1205. Any overpayment should be credited to the same Deposit Account.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our below listed address.

Respectfully submitted,

/Jason M. Okun/
Jason M. Okun
Attorney for Patentee
Registration No. 48,512

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200